



Agrostis stolonifera

Plant Breeder: Dr. Joe Duich, Pennsylvania State University Experimental Designation - PBCB

Penneagle competes with <u>Poa annua</u> on fairways, and with triplex mowers and clipping removal, will dominate over the nuisance. **Penneagle** breeding began with 156 vegetatively propagated bentgrasses, later reduced to 21. These were crossed for turf performance and the components were tested under a wide variety of locations in the U.S. and Canada. Results show that **Penneagle** has wide adaptability, tight, more upright growth characteristics and finer leaves than Penncross.

Characteristics:

- Excellent Brown Patch resistance
- Medium Dark Green Color
- Good Dollar Spot resistance

Recommended Use:

Golf Courses (fairways and tees) and Winter Overseeding of Bermudagrass Greens

Climatic Zones:

2, 3, 4, 5, 6, 7, 8, 9, 10 (may not be adaptable to all areas within each zone)

Establishment & Maintenance:

Plant the seed to make good seed to soil contact and keep seedlings moist until well rooted. Germination will take place in 7 - 15 days depending on soil temperatures, and the first mowing may be expected within 30 days, or when the plants have sufficiently rooted. Mow at a 3/4 inch (19 mm) height of cut or lower until turf is established. Limited use of the area can be expected in 6 weeks. *Penneagle* performs best in soils with a pH of 5.5 to 8. It has a moderate nitrogen requirement with 1 - 2 pounds of actual N per 1,000 square feet per year adequate in most situations. Optimum mowing height for *Penneagle* is 3/16 - 5/16 inch (4.8 - 7.9 mm) but can be adjusted higher or lower depending upon maintenance practices and intended use. *Penneagle* performs best on sandy soils and tolerates clay soils with adequate drainage. Bentgrasses do not perform well in wet areas; however, *Penneagle* can tolerate saturated soil conditions for short periods of time.

Seeding Rates:

• New Turf Applications 1 - 2 lb/ 1000 sq. ft.

(1/2 - 1 kg/100 sq meters)

Overseeding of Existing Turf 1/2 - 1 lb/1000 sq. ft.

(1/4 - 1/2 kg/100 sq meters)

Quality Ratings:

Table 19. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF BENTGRASS CULTIVARS

GROWN ON A FAIRWAY OR TEE 2000 DATA FROM 1998 TEST PERCENT LIVING GROUND COVER IN SPRING

NAME	PERCENT	
BRIGHTON (SRX 1120)	95.0	
PENNEAGLE	95.0	
TRUELINE	95.0	
SEASIDE	93.3	
SRX 7MODD	93.3	
GOLFSTAR	91.7	
TIGER	91.7	
LSD VALUE	2.6	

Table 26. BROWN PATCH (WARM TEMPERATURE) RATING OF BENTGRASS CULTIVARS
GROWN ON A FAIRWAY OR TEE
2000 DATA FROM 1998 TEST
BROWN PATCH RATINGS 1-9, 9=NO DISEASE

NAME	QUALITY	
	MEAN	
BACKSPIN	9.0	
PENNEAGLE	9.0	
TRUELINE	8.7	
SEASIDE II	8.3	
GOLFSTAR	5.3	
TIGER	3.3	
SRX 7MOBB	2.8	
LSD VALUE	1.1	

Table 29.

POA ANNUA RATINGS OF BENTGRASS CULTIVARS
GROWN ON A FAIRWAY OR TEE
2000 DATA FROM 1998 TEST
POA ANNUA RATINGS 1-9, 9=NONE

NAME	RATING	
SEASIDE	4.3	
GOLFSTAR	3.3	
PENNEAGLE	3.0	
TIGER	3.0	
SEASIDE II	2.0	
TRUELINE	1.7	
GRAND PRIX	1.0	
LSD VALUE	1.7	

These examples represent 7 out of 25 varieties tested in the National Turfgrass Evaluation Program, Progress Report 2000, NTEP No. 01-3 1998 test. For complete trial data, go to www.ntep.org