

Reclaim Native Shortgrass Mixture

Components	Mature Height	Zone	Seeding Rate	Planting Dates
40% Little Bluestem	2 - 3 Feet	3,4,5,6,7	40 - 60 lbs./acre	April 1 - June 30
30% Blue Fescue or Hard Fescue				
15% Blue Grama				
15% Side Oats Grama				

Description: An attractive low growing mixture with superior heat and drought tolerance. Perfect for use on golf course tee banks.





Hard Fescue

Blue Grama

Side Oats Grama

Switchgrass

For more information concerning the planting and maintenance of our reclaim mixes, please look on the back of this page.

Planting and Maintenance

How to Plant

Native grasses prefer a firm seedbed.

On Bare Soil

1. Rake the soil to form a crumbly seedbed. Do not till deeply as this will encourage new weeds to germinate along with the native grasses.

2. Apply seed with either a drill seeder, hydroseeder, or broadcast spreader along with a carrier (such as sand or vermiculite). For small sites, seeds may be broadcast by hand.

3. Lightly rake to ensure proper soil-seed contact. Roll or track over the seedbed and apply a light straw mulch to preserve moisture and aid soil stabilization. For optimum germination, keep the area evenly moist.

Seeding Into Existing Vegetation

1. Use Round-up[®], following manufacturer's recommendations, to eliminate any grass or weed cover which may compete with native grass germination and establishment.

2. Seed as specified in steps 2 and 3 for bare soil.

Note: All listed conservation mixtures can be dormant seeded as well, once the grass is frozen.

For Environmentally Sensitive Sites

Till existing vagetation several times during the course of the year prior to planting. Seed as specified above for bare soil.

Fertilization

During the first year fertilizers encourage weed growth and shouldn't be used unless the soil is infertile. If necessary, fertilize the site in late spring or early summer when the warm season grasses start their vegatative growth during their second growing season.

Weed Control

For best results, use a nonselective herbicide such as Roundup[®] prior to planting.

Once the grasses have been seeded, weeds can be culturally controlled the first year and a half by selective mowings at a height above the native grass seedlings (about 3 1/2 - 4"). The mowings will be most effective during spring or early summer during the second growing season as this is when the warm season native grasses will be growing aggressively and starting to go to seed.

Several herbicides are labeled for broadleaf weed control on native grasses. However, they should not be used until the native grass plants have reached the four-leaf stage and the air temperature does not exceed 75° F. Plateau[®], a herbicide from American Cyanamid, shows great promise in selectively controlling annual and perennial broadleaf and grassy weeds in warm and cool season turf.

Where local ordinances allow, burning native grass fields in the early spring can effectively control weeds. Fields should be at least two years old prior to burning.



Mowing

Native grass fields can be mown in late fall or early spring prior to the emergence of new growth. However, this is not recommended as it will decrease the ornamental appeal for the winter and will disrupt wildlife habitats.



What to Expect

Most native grasses will germinate in two to three weeks and fully mature in two to three years. Root growth is the main activity during the first season of growing warm season native grasses. In order to achieve cover during the first year, adding a cool season native grass or nursegrass such as fine fescue is recommended. Temporary grasses such as annual ryegrass or oats can also be added at low seeding rates.